



Pediatric Health Promotion Visits and Vaccination Schedule

Adopted February 8, 2013

Each year	Influenza	VACCINATION ONLY
Newborn	HepB	AT THE HOSPITAL
1 week	EXAMINATION
2 months	HepB, PCV13, RV5, DTaP-IPV/Hib	EXAMINATION
4 months	PCV13, RV5, DTaP-IPV/Hib.....	EXAMINATION
6 months	HepB, PCV13, RV5, DTaP-IPV/Hib	VACCINATION ONLY
9 months	EXAMINATION
12 months	HepA, MMR, VAR.....	VACCINATION ONLY
15 months	DTaP-IPV/Hib, PCV13	EXAMINATION
18 months	DEVELOPMENTAL SCREENING
2 years	HepA.....	EXAMINATION
3 years	EXAMINATION
3 - 4 years	PRE-SCHOOL SCREEN at SCHOOL DISTRICT
4 - 6 years	DTaP, MMRV, IPV.....	EXAMINATION
7 years	EXAMINATION
9 years	HPV4 (3 doses total over 6 months)	EXAMINATION
11 years	MCV4, Tdap.....	EXAMINATION
13 years	EXAMINATION
15 years	EXAMINATION
16 years	MCV4.....	VACCINATION ONLY
17 years	EXAMINATION

DTaP: Diphtheria-Tetanus-acellular Pertussis vaccine (pediatric form)

DTaP-IPV/Hib: Diphtheria-Tetanus-acellular Pertussis vaccine-Inactivated Polio Vaccine/*Haemophilus influenzae* type b vaccine

HepA: Hepatitis A Vaccine

HepB: Hepatitis B Vaccine

HPV4: Human Papillomavirus Vaccine (3 doses, 2nd dose 2 months after the first, 3rd dose 6 months after the first)

IPV: Inactivated Polio Vaccine

MCV4: Meningococcal Conjugate Vaccine

MMR: Measles-Mumps-Rubella

MMRV: Measles-Mumps-Rubella-Varicella

PCV13: Pneumococcal Conjugate Vaccine

RV5: Rotavirus vaccine (children should receive the first dose by 14 weeks 6 days. All doses received by age 8 months and 0 days.)

Tdap: Tetanus-diphtheria-acellular pertussis vaccine (adolescent-adult form)

VAR: Varicella Zoster Vaccine (chicken pox)

See reverse side for more information.